

NISSAN PATHFINDER R51 & NAVARA D40 MODEL 2008/2009

SERVICE SCHEDULE



	Service "A"	Service "B"
	15,000 KM	30,000 KM
VEHICLE ON FLOOR		
Brake servo	Check/report	Check/report
Brake servo hoses/check valve	Check	Check
Footbrake travel	Check/report	Check/report
Seatbelts/mountings	Check/report	Check/report
Instruments/warning lamps	Check/report	Check/report
Switches/controls	Check/report	Check/report
Heater blower	Check/report	Check/report
Horn	Check/report	Check/report
Interior/exterior mirrors	Check/report	Check/report
Interior lamps	Check/report	Check/report
Wash/wipe system	Check/report	Check/report
Instrument illumination	Check/report	Check/report
Direction indicators/hazards	Check/report	Check/report
Lighting system	Check/report	Check/report
Headlight levelling system	Check	Check
Headlights	Check/report	Check/report
Body work/paint	Check condition	Check condition
VEHICLE FULLY RAISED		
Engine oil leaks	Check/report	Check/report
Engine oil	Drain/refill	Drain/refill
Engine oil filter	Renew	Renew
Clutch hydraulic system	Check/report	Check/report
Manual transmission oil leaks	Check/report	Check/report
Manual transmission oil	Check/top-up	Check/top-up
Front differential oil leaks	Check/report	Check/report
Front differential oil	Check/top-up	Check/top-up
Transfer box oil leaks	Check/report	Check/report
Transfer box oil	Check/top-up	Check/top-up
Steering joints	Check/report	Check/report
Steering rack/box	Check/report	Check/report
PAS hoses	Check	Check
Steering column couplings	Check/report	Check/report
Suspension joints/seals/gaiters	Check/report	Check/report
Propshaft joints	Check/report	Check/report
Drive shaft joints/seals/gaiters	Check/report	Check/report
Rear differential oil leaks	Check/report	Check/report
Rear differential oil	Check/top-up	Check/top-up

Road springs	Check/report	Check/report
Anti-roll bar/links	Check/report	Check/report
Shock absorbers/mountings	Check/report	Check/report
Exhaust system/mountings	Check/report	Check/report
Brake pipe corrosion	Check/report	Check/report
Fuel system leakage	Check/report	Check/report
Underbody condition/sealant	Check/report	Check/report
VEHICLE HALF RAISED		
Front wheel bearings	Check/report	Check/report
Rear wheel bearings	Check/report	Check/report
Front brake pads	Check/report	Check/report
Front brake discs	Check/report	Check/report
Front brake calipers/cylinders	Check/report	Check/report
Rear brake pads	Check/report	Check/report
Rear brake discs	Check/report	Check/report
Rear brake calipers/cylinders	Check/report	Check/report
Parking brake cables/linkages	Check/report	Check/report
Parking brake	Adjust	Adjust
Brake hydraulic system	Check/report	Check/report
Brake hydraulic fluid	Check/report	Check/report
Tyre condition (tread under 3 mm will be reported)	Check/report	Check/report
Tyre pressures	Check/adjust	Check/adjust
Wheel interchange	N/A	Rotate
Wheel balance*	N/A	Check/adjust
ENGINE BAY OPERATIONS		
Battery condition/specific gravity	Check/report	Check/report
Washer bottle(s)	Check/top-up	Check/top-up
Brake fluid reservoir	Check/top-up	Check/top-up
Clutch fluid reservoir	Check/top-up	Check/top-up
Power steering fluid	Check/top-up	Check/top-up
Steering box	Check/report	Check/report
Engine coolant level/anti-freeze strength	Check/adjust	Check/adjust
Cooling system	Pressure test	Pressure test
Air filter	N/A	Renew
Diesel primary fuel filter	N/A	Renew
Diesel fuel filter	Drain	Drain
Auxiliary drive belt/s	Check/adjust	Check/adjust
Air conditioning	N/A	Check/report
Air conditioning refrigerant level	Check	Check
Idle speed	Check	Check
FINAL ITEMS CHECK		
Wheel alignment 4 points	N/A	Check/adjust
Cabin filter (if fitted)	N/A	Renew
Service interval indicator	Reset	Reset
Central locking system	Check/report	Check/report
Vehicle locks/hinges	Check/lubricate	Check/lubricate

Headlamp alignment	Check/adjust	Check/adjust
TOTAL HOURS	1.6 h	**3.5 h
ADDITIONAL SERVICES		
Air conditioning	Service at every 2 years	0.6
Engine coolant	Renew at every 60,000 km	0.5
Brake hydraulic fluid	Renew at every 30,000 km	0.5

* if balance required at additional charge

** includes wheel alignments 4 points 1 h and wheel interchange 0.5 h